

FEATURES

< IP20; IP65

LED

 2700K/3000K/4000K/5000K
TW- RGBW- DTW

< >100lm/W

 CRI >90


< Eye safety: RG0

 MacAdams 3

< L80/B10 >50.000h

CERTIFICATIONS

 EEAConformity

 Energyefficiency

< 5 years warranty



FLEXSTRIP LED

Our **FLEXSTRIPLED**, flexible and adhesive, are available in a wide range of color temperatures, or in TunableWhite, Dim to Warm and RGBW versions. Sectionable every 50mm, they are compatible with high quality drivers and controllers, for effective light management.

ID 83



LAREN

esse-ci

STRIP LED ^{IP 20}

IP 20

Adhesive LED strip 24VCRI>90.

Length: 5000 mm - sectionable every 50mm.



Cod.2700K	sten	lm/ m	mm
83SL10K27	10W/mt	818	5000
83SL15K27	15W/mt	1228	5000
83SL20K27	20W/mt	1637	5000
83SL24K27	24W/mt	2009	5000

Cod.3000K	sten	lm/ m	mm
83SL10K3	10W/mt	880	5000
83SL15K3	15W/mt	1320	5000
83SL20K3	20W/mt	1760	5000
83SL24K3	24W/mt	2160	5000

Cod.4000K	sten	lm/ m	mm
83SL10K4	10W/mt	941	5000
83SL15K4	15W/mt	1412	5000
83SL20K4	20W/mt	1883	5000
83SL24K4	24W/mt	2311	5000

STRIP LED ^{IP 65}

IP 65

Adhesive LED strip 24VCRI>90. Length: 5000 mm - sectionable every 50mm.

Cod.2700K	sten	lm/ m	mm
83SL10K27IP65	10W/mt	735	5000
83SL15K27IP65	15W/mt	1023	5000

Cod.3000K	sten	lm/ m	mm
83SL10K3IP65	10W/mt	790	5000
83SL15K3IP65	15W/mt	1100	5000

Cod.4000K	sten	lm/ m	mm
83SL10K4IP65	10W/mt	845	5000
83SL15K4IP65	15W/mt	1177	5000

Cod.5000K	sten	lm/ m	mm
83SL10K5IP65	10W/mt	904	5000
83SL15K5IP65	15W/mt	1259	5000

STRIP LED ^{TUNABLE WHITE}

Cod.2700/6500K	sten	lm/ m	mm
83SL24TW	24W/mt	2240	5000

STRIP LED ^{DIM TO WARM}

Cod.1800/3000K	sten	lm/ m	mm
83SL24DTW	24W/mt	2160	5000

STRIP LED ^{RGBW}

Cod.	sten	lm/ m	mm
83SL17RGW	17W/mt	1170	5000

STRIP LED ^{RGBW IP65}

Cod.	sten	lm/ m	mm
83SL17RGWIP65	17W/mt	1050	5000

DRIVER

IP 20

Driver to be selected according to the power and length of the installed LEDstrip.

CONVERTERON/OFF IS

Cod. Compatibilità apparecchi	sten
83LC6024IS	24V60W
83LC12024IS	24V 120W
83LC20024IS	24V200W

* Compatible products: **PROFREEL - ENDO**



CONVERTERON/OFF SLIMIS

Cod.	sten
83LC6024SIS	24V60W
83LC10024SIS	24V 100W

* Compatible products: **PROFREEL SLIMDISPLAY**

CONVERTERDALI IS

Cod.	sten
83LC6024ISD	24V60W
83LC10024ISD	24V 100W
83LC15024ISD	24V 150W

* Compatible products: **PROFREEL - ENDO**

CONVERTERON/OFF LINEARI 30X21mm

Cod.	sten
83LC6024	24V60W
83LC10024	24V 100W

* Compatible products: **PROFREEL**

CONVERTERDALI SLIMIS

Cod.	sten
83LC7024SISD	24V 70W
83LC12024SISD	24V 120W

* Compatible products: **PROFREEL SLIMDISPLAY**

CONVERTERBT IS - BLUETOOTH

Cod.	sten
83LC6024ISBT	24V60W
83LC10024ISBT	24V 100W
83LC15024ISBT	24V 150W

* Compatible products: **PROFREEL - ENDO**

CONVERTERDALI LINEARI 30X21mm

Cod.	sten
83LC6024D	24V60W
83LC10024D	24V 100W

* Compatible products: **PROFREEL**

CONTROLLER BASIC

Cod.	Note
DIMKITTW	Tunable White +Remote



Cod.	Note
DIMKITRGBW	RGBW+ Remote



CONTROLLER DALI RGBW/TW

Cod.	Note
83CL4X1D	DALIRGBW/ Tunable White



ACCESSORIES



IP20 end-of-line heads

83AA09EL
83AA09ELRGB
83AA09ELTW



IP65 end-of-line heads

83AA09ELIP
83AA09ELIPRGB



Linear junction IP20

83AA11
83AA11RGB
83AA11TW



Linear junction IP65

83AA11IP
83AA11IPRGB



Wired linear junction
IP20

83AA11CC150
83AA11CC150RGB
83AA11CC150TW



Wired linear junction
IP65

83AA11CC150IP
83AA11CC150IPRGB